

L Number	Hits	Search Text	DB	Time stamp
1	2340	programmable near3 fuse\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:23
2	86	(programmable near3 fuse\$1) same (processor microprocessor cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:23
3	44	(programmable near3 fuse\$1) with (processor microprocessor cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 08:26
4	7	(powergood (power adj1 good) pwr gd pwr good) same (second\$3 near5 regulator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:03
6	315	read\$3 near5 fuse\$1 near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:41
5	71	power\$3 near5 fuse\$1 near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:39
7	15	(power\$3 near5 fuse\$1 near5 programmable) and (processor cpu microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:40
8	0	(power\$3 near5 fuse\$1 near5 programmable) same (processor cpu microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:40
9	7	(read\$3 near5 fuse\$1 near5 programmable) same (processor cpu microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:41
10	2	(stop\$4 or prevent\$3) near5 read\$3 near5 fuse\$1 near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:27
11	2	("5455927" "5546563").PN.	USPAT	2004/04/29 10:01
12	2	5764529.URPN.	USPAT	2004/04/29 10:02
13	250	(powergood (power adj1 good) pwr gd pwr good) same (processor microprocessor cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:04
14	12	((powergood (power adj1 good) pwr gd pwr good) near10 until) same (processor microprocessor cpu)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:06

15	7	(powergood (power adj1 good) pwrgrd pwrgrd) same (processor microprocessor cpu) same boot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:42
16	1	(available) near5 read\$3 near5 fuse\$1 near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:25
17	315	read\$3 near5 fuse\$1 near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:53
18	2	(read\$3 near5 fuse\$1 near5 programmable) same correct\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:40
19	473	capps.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:40
20	20	capps.in. and international.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:47
21	160	read\$3 near5 voltage near5 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:48
22	4	(read\$3 near5 voltage near5 configuration) near8 only	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:48
23	9	power\$3 near5 (first or before or only) near5 fuse\$1 near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:55
24	0	permit\$4 near5 fuse\$1 near5 programmable near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:31
25	2	5764529.URPN.	USPAT	2004/04/29 11:25
27	267	(read\$3 near5 fuse\$1 near5 programmable) near5 (only after)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:42
26	1	power\$3 near5 fuse\$1 near5 programmable near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:22

28	0	((read\$3 near5 fuse\$1 near5 programmable) near5 (only after)) near5 power\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:42
29	141	enabl\$3 near5 fuse\$1 near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:47
30	12	(enabl\$3 near5 fuse\$1 near5 programmable) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:51
31	6	enabl\$3 near8 programmable near4 regulator\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:21
32	0	(stable or stabliz\$5) near5 fuse\$1 near5 programmable near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:15
33	5	("5570005" "5661685" "5727208" "5790469" "5815445").PN.	USPAT	2004/04/29 12:02
34	0	(enabl\$3) near5 voltage near2 configuration near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:16
35	141	(enabl\$3) near5 voltage near2 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:16
36	6	((enabl\$3) near5 voltage near2 configuration) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:16
37	299	enabl\$3 near8 programmable near4 clock\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:21
39	0	(power\$3 near5 fuse\$1 near5 programmable) same processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:22
40	0	(power\$3 near5 fuse\$1 near5 programmable) same (processor cpu microprocessor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:23
38	71	power\$3 near5 fuse\$1 near5 programmable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:23

41	3	allow\$3 near5 fuse\$1 near5 programmable near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:15
42	1	proper\$3 near5 fuse\$1 near5 programmable near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:34
43	138	(proper or properly) near5 configuration near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:35
44	0	(proper or properly) near5 (voltage near3 configuration) near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:36
45	55	(voltage near3 configuration) near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:41
46	27	(valid near3 configuration) near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:44
47	37	((valid or validat\$3) near3 configuration) near4 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:12
48	3	((valid or validat\$3) near3 configuration) near8 voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:49
49	1280	((enabl\$3 or allow\$3) near3 configuration) near8 read\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:49
50	50	((((enabl\$3 or allow\$3) near3 configuration) near8 read\$3) same voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:49
51	12	((((enabl\$3 or allow\$3) near3 configuration) near8 read\$3) near10 voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 12:49
52	17	((((valid or validat\$3) near3 configuration) near4 read\$3) and ensur\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:12

53	16	((valid or validat\$3) near3 configuration) near4 read\$3) and intend\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:13
54	1968	(valid or validat\$3 or incorrect) near ((stop\$4 or prevent\$3) near5 read\$3 near5 fuse\$1 near5 programmable) vid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:16
55	6	overrid\$3 near10 vid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:16
56	1	6275364.URPN.	USPAT	2004/04/29 14:03
57	6	("5572685" "5712754" "5777834" "5895988" "5911050" "5958056").PN.	USPAT	2004/04/29 14:03